
Indiana Society of Mining and Reclamation 22nd Annual Technology Transfer Seminar



NPDES Reporting

December 8, 2008

Indiana NPDES DMR data:
maintained for
compliance tracking
purposes for Indiana and
EPA

Contact Information

•	IDEM Toll Free Number:	800-451-6027
•	Office of Water Quality	
•	Ramona Malone, Reception	nist: 317-232-8670
•	Office Fax Number:	317-232-8406
•	Data and Information Services MMRs)	Section: (for DMRs and
•	Rose McDaniel: rmcdanie@idem.in.gov	317-233-2653
•	Helen Demmings: hdemming@idem.in.gov	317-232-8815
•	Jeff Ewick, Section Chief:	317-233-2676
•	Compliance Branch Chief:	Debbie Dubenetzky
•	Spill Hotline:	888-233-7745

Definitions

- <u>DMR</u>: Discharge Monitoring Report Form: a federal pre-printed Form (3320-1)
- Source: 12 months of DMRs are printed and mailed to each NPDES facility, each July.
- The DMR is specific for that NPDES permitted facility.
- There is one DMR per outfall: summary data from the MMR will be used to complete the DMR.
- The DMR must be submitted/postmarked by 28 days following its Monitoring Period end date.
- NPDES Facility: National Pollutant Discharge Elimination System Facility is also referred to as Permittee in this presentation.

Definitions

- <u>MMR</u>: Monthly Monitoring Report: a state form required by Indiana
- Source: http://www.in.gov/idem/5104.htm
- For Coal Mines choose the "Industrial Type" MMR.
- Can be used as an Excel Spreadsheet or printed as a copy that can be hand filled-out.
- One MMR per outfall: data results for each day of sampling will be used to complete it.
- MMR must be submitted w/corresponding DMR form each monitoring period.

Goal: Report NPDES data Accurately, Completely, and on time

- Reasons:
- To fulfill reporting requirements of NPDES permit.
- To receive Compliant status (for DMR data) in EPA database.
 - O To prevent false Missing violations from accruing in the EPA database.
 - To prevent non-entry of accurate data in EPA database.
- To demonstrate good stewardship of the use of the waters of the State.

DMR violations in the EPA database

- There are 3 types of DMR data violations in the EPA database:
- Missing
- Exceedence
- Late
- Missing DMR data is currently the most common violation for Indiana coal mine NPDES permittees, in the EPA database.

1,916 Missing Coal Mine DMRs for Indiana from January 2007 to September 2008

0

Start of the List

End of the List

	B1		f∝ NPDES ID		
	. В	С	_	E	_
1	NPDES ID	County Name	Monitoring I		
2	ING040134	Knox	7/31/2007	002	В
3	ING040134	Knox	8/31/2007	002	В
4	ING040134	Knox	12/31/2007	002	В
5	ING040134	Knox	4/30/2008	002	В
6	ING040134	Knox	5/31/2008	002	В
7	ING040134	Knox	6/30/2008	002	В
8	ING040134	Knox	7/31/2008	002	В
9	ING040134	Knox	8/31/2008	002	В
10	ING040134	Knox	9/30/2008	002	В
11	ING040229	Pike	9/30/2008	000	Α
12	ING040035	Knox	1/31/2007	011	Α
13	ING040035	Knox	2/28/2007	011	Α
14	ING040035	Knox	4/30/2007	011	Α
15	ING040035	Knox	5/31/2007	011	Α
16	ING040035	Knox	7/31/2007	011	Α
17	ING040035	Knox	8/31/2007	011	Α
18	ING040035	Knox	9/30/2007	011	Α
19	ING040035	Knox	11/30/2007	011	Α
20	ING040035	Knox	12/31/2007	011	Α
21	ING040035	Knox	1/31/2008	011	Α
22	ING040035	Knox	2/29/2008	011	Α
23	ING040035	Knox	3/31/2008	011	Α
24	ING040035	Knox	6/30/2008	011	Α
25	ING040035	Knox	7/31/2008	011	Α
26	ING040035	Knox	8/31/2008	011	Α
27	ING040228	Gibson	6/30/2008	001	Α
28	ING040228	Gibson	9/30/2008	001	Α
29	ING040038	Gibson	1/31/2007	005	Α
30	ING040038	Gibson	1/31/2007	007	Α
31	ING040038	Gibson	1/31/2007	04A	Α
32	ING040038	Gibson	1/31/2007	04P	Α
4	▶ ▶ Deficient	Report &			
Rea	ndy				

	В	С	D	Е	F
1886	ING040168	Warrick	6/30/2008	002	Α
1887	ING040168	Warrick	7/31/2008	002	Α
1888	ING040168	Warrick	8/31/2008	002	Α
1889	ING040168	Warrick	9/30/2008	002	Α
1890	ING040159	Warrick	12/31/2007	013	R
1891	ING040186	Gibson	7/31/2007	001	Α
1892	ING040186	Gibson	7/31/2007	002	Α
1893	ING040186	Gibson	8/31/2007	001	Α
1894	ING040186	Gibson	8/31/2007	002	Α
1895	ING040186	Gibson	9/30/2007	001	Α
1896	ING040186	Gibson	9/30/2007	002	Α
1897	ING040186	Gibson	10/31/2007	001	Α
1898	ING040186	Gibson	10/31/2007	002	Α
1899	ING040186	Gibson	11/30/2007	001	Α
1900	ING040186	Gibson	11/30/2007	002	Α
1901	ING040186	Gibson	12/31/2007	001	Α
1902	ING040186	Gibson	12/31/2007	002	Α
1903	ING040186	Gibson	3/31/2008	001	Α
1904	ING040186	Gibson	3/31/2008	002	Α
1905	ING040186	Gibson	4/30/2008	001	Α
1906	ING040186	Gibson	4/30/2008	002	Α
1907	ING040186	Gibson	5/31/2008	001	Α
	ING040186	Gibson	5/31/2008	002	Α
	ING040186	Gibson	6/30/2008	001	Α
	ING040186	Gibson	6/30/2008	002	Α
	ING040186	Gibson	7/31/2008	001	Α
	ING040186	Gibson	7/31/2008	002	Α
	ING040186	Gibson	8/31/2008	001	Α
1914	ING040186	Gibson	8/31/2008	002	Α
	ING040186	Gibson	9/30/2008	001	Α
1916	ING040186	Gibson	9/30/2008	002	Α
14 4	Deficient Re	aport 💔			
Dand		eport / GJ			

DMR and MMR Forms are Provided by IDEM

- Currently, one years' worth of DMRs are printed and mailed to each NPDES facility every July.
- DMR forms have exact codes, parameters, monitoring period dates, and IDs on them in order to be able to enter their data into the EPA database to receive compliant status each monitoring period.
- Contact the person whose name is near the upper right hand corner of the DMR if limits corrections are needed on it or if new DMRs are needed.
- Electronic DMR data submittal will soon be available.
- MMRs can also be printed and mailed out, as requested, but are downloadable as Excel spreadsheets from the IDEM website.

Part I: How to complete the DMR and MMR forms correctly

IN ORDER TO HAVE COMPLIANT DMR DATA IN THE EPA DATABASE.

Check the DMR and MMR for completeness

- Prior to submittal:
- For No Discharge monitoring periods be sure the "No Discharge" box is marked.
- For monitoring periods with discharge be sure that each DMR blank is filled in with the required measurement and use correct abbreviations if parameters have no measured data results.
- For all submitted DMRs: sign, date, and list correct applicable working telephone number.

Send the completed DMR and MMR to correct address, on time

• DMR/MMR submittal should be postmarked by the 28th of the month following the DMR Monitoring Period End Date to:

- Indiana Dept. of Environmental Management
- Office of Water Quality 65-42 DISS
- Data & Information Services Section
- 100 N Senate Ave
- Indianapolis, IN 46204

Supply both Average and Maximum Data

- Report both average and maximum if required, even for once-per-month/quarter sampling frequencies.
- It is okay if the Average measurement is identical to the Maximum measurement.
- If more sampling occurred than required, all data for that parameter must be on MMR.
 - And it should be reflected in Average value listed on the DMR.

Example of DMR w/incomplete data

PARAMETER		QUANT	TY OR LOADING	3	QU	ALITY OR CONC	ENTRATION		NO.	fore completing to	Sample
		Average	Maximum	Units	Minimum	Average	Maximum	Units	1	of Analysis	Type
H	SAMPLE MEASUREMENT	*****	*****		7.83	*****	7.83	SU		1	GRAB
00400 1 0 0 Effluent Gross	PERMIT REQUIREMENT				-6 DAILY MN		9 DAILY MX			Weekly	GRAB
olids, total suspended	SAMPLE MEASUREMENT	*****	*****		*****	NA	17.0	mg/L		/	GRAF
00530 1 0 0	PERMIT				NAME OF THE	35	70]		Monthly	GRAB
ffluent Gross	REQUIREMENT					DAILY AV	DAILY MX	1			
olids, settleable	SAMPLE MEASUREMENT	*****	*****		*****	*	X	mL/L		2	*
00545 1 0 0 ·	PERMIT REQUIREMENT					Report DAILY AV	.5 DAILY MX			Monthly	GRAB
opper, total (as Cu)	SAMPLE MEASUREMENT	*****	*****		*****	NA	40,1	mg/L		/	6000
01042 1 0 0 ffluent Gross	PERMIT REQUIREMENT					Report DAILY AV	Report DAILY MX		2 1	Monthly	GRAB
on, total (as Fe)	SAMPLE MEASUREMENT	*****	*****		*****	NA	2,6	mg/L		.o /	6013
1045 1 0 0	PERMIT					7 - 5 - 1 3 - 1 - 1 - 1 - 1	6		b	Monthly	GRAB
ffluent Gross	REQUIREMENT					DAILY AV	DAJLY MX		188		
anganese, total (as Mn)	SAMPLE MEASUREMENT	*****	*****		*****	NA	0.3	mg/L		1	GRAR
1055 1 0 0	PERMIT			. 9		2	4	1	100	Monthly	GRAB
fluent Gross	REQUIREMENT			2		DAILY AV	DAILY MX		18		
ckel, total (as Ni)	SAMPLE MEASUREMENT	*****	*****		*****	NA	48.10	mg/L		/	GRAZ
1067 1 0 0 fluent Gross	PERMIT REQUIREMENT			A:		Report DAILY AV	Report DAILY MX		8	Monthly	GRAB
ritify, under penalty of law, that this doc rrvision in accordance with a system de uase the information submitted. Based ons directly responsible for gathering it levelage and belief, true, accurate, and or nitting false information, including the particular MMENTS AND EXPLANATION	signed to assure that qualified p on my inquiry of the persons wh is information, the information s implete. I am aware that there is isossibility of fine or imprisonmen	ersonnel properly gather to manage the system, or submitted is, to the best of are significant penalties is	and those of my or TY	PED OR P	ŭ	SIGNÀ	4	AREA COL	PE AND I	**************************************	3 R

Page 2 of Incomplete DMR

PARAMETER		QUANTI	TY OR LOADING	3	QUA	ALITY OR CONC	ENTRATION		NO.	Frequency	Sample
		Average	Maximum	Units	Minimum	Average	Maximum	Units	EX	of Analysis	Type
Zinc, total (as Zn)	SAMPLE MEASUREMENT	*****	*****		*****	NA	60,10	mg/L		/	GRAF
01092 1 0 0 Effluent Gross	PERMIT REQUIREMENT				ang Majirana Alamatan	Report DAILY AV	Report DAILY MX			Monthly	GRAB
Aluminum, total (as Al)	SAMPLE MEASUREMENT	****	*****		*****	NA	12,0	mg/L		1	SRA A
01105 1 0 0 Effluent Gross	PERMIT REQUIREMENT				a dinami	Report DAILY AV	Report DAILY MX			Monthly	GRAB
Flow, in conduit or thru treatment plant	SAMPLE MEASUREMENT	0.004	0.018	Mgal/d	*****	*****	*****			4	1257
50050 1 0 0 Effluent Gross	PERMIT REQUIREMENT	Report DAILY AV	Report DAILY MX							Weekly	INSTAI

Example of DMR w/complete data

PARAMETER		QUANTI	TY OR LOADING	-	QL	ALITY OR CONC	ENTRATION		NO.	Frequency	Sample
		Average	Maximum	Units	Minimum	Average	Maximum	Units	EX	of Analysis	Type
рН	SAMPLE MEASUREMENT	*****	*****		7.83	*****	7.83	SU		/	Grab
00400 1 0 0 Effluent Gross	PERMIT REQUIREMENT				6 DAILY MN		9 DAILY MX		0	Weekly	GRAB
Solids, total suspended	SAMPLE MEASUREMENT	*****	*****		*****	17	/17	mg/L		<u>l</u>	Grab
00530 1 0 0 Effluent Gross	PERMIT REQUIREMENT					35 DAILY AV	70 DAILY MX		0	Monthly	GRAB
Solids, settleable	SAMPLE MEASUREMENT	*****	*****		*****	Exempt	Exempt	mL/L		N/A	*
00545 1 0 0 Effluent Gross	PERMIT REQUIREMENT					Report DAILY AV	.5 DAILY MX			Monthly	GRAB
Copper, total (as Cu)	SAMPLE MEASUREMENT	*****	*****		*****	< 0.1	<0,1	mg/L	_	1	Grab
01042 1 0 0 Effluent Gross	PERMIT REQUIREMENT					Report DAILY AV	Report DAILY MX		0	Monthly	GRAB
Iron, total (as Fe)	SAMPLE MEASUREMENT	*****	*****		*****	2.6	2.6	mg/L		1	Grab
01045 1 0 0 Effluent Gross	PERMIT REQUIREMENT					3 DAILY AV	6 DAILY MX		0	Monthly	GRAB
Manganese, total (as Mn)	SAMPLE MEASUREMENT	*****	*****		*****	0.3	0.3	mg/L		/	Grab
01055 1 0 0 Effluent Gross	PERMIT REQUIREMENT					2 DAILY AV	4 DAILY MX		0	Monthly	GRAB
Nickel, total (as Ni)	SAMPLE MEASUREMENT	*****	*****		****	< 0.10	<0.10	mg/L		/	Grab
01067 1 0 0 Effluent Gross	PERMIT REQUIREMENT					Report DAILY AV	Report DAILY MX		0	Monthly	GRAB

I certify, under penalty of law, that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment for knowing violations.

NAME AND TITLE OF PRINCIPA AUTHORIZE		TELEPHONE	DATE			
TYPED OR PRINTED	SIGNATURE	AREA CODE AND NO.	MO	DAY	YEAR	

COMMENTS AND EXPLANATION OF ANY VIOLATIONS

(Reference all attachmer is here) * Did not use alternative sampling-

COAL MINEJASONVILLE, CLAY COUNTY

Page 2 of Complete DMR

PARAMETER		QUANT	TY OR LOADING	G.	QUA	ALITY OR CONC	ENTRATION		NO.	Frequency	Sample
		Average	Maximum	Units	Minimum	Average	Maximum	Units	EX	of Analysis	Type
Zinc, total (as Zn)	SAMPLE MEASUREMENT	*****	*****		*****	<0.10	<0,10	mg/L		/	Gral
01092 1 0 0 Effluent Gross	PERMIT REQUIREMENT			-		Report DAILY AV	Report DAILY MX		0	Monthly	GRAB
Aluminum, total (as Al)	SAMPLE MEASUREMENT	*****	*****		*****	12.0	12.0	mg/L		,	Gral
01105 1 0 0 Effluent Gross	PERMIT REQUIREMENT					Keport DAILY AV	Report DAILY MX		0	Monthly	GRAB
Flow, in conduit or thru treatment plant	SAMPLE MEASUREMENT	0.004	0.018	Mgal/d	****	*****	****	-	~	4	INST
50050 1 0 0 Effluent Gross	PERMIT REQUIREMENT	Report DAILY AV	Report DAILY MX						0	Weekly	INSTAN

Calculate Average Flow Correctly

- Calculate average flow for dry and wet events correctly (as per 327 IAC 15-7(e)(1)).
 - Use two flow samples <u>representative for the month</u>.
 - Example 1: 0.000 MGD (dry) plus 0.010 MGD (wet)
 - o divided by 2 = 0.010/2 =
 - o.oo5 MGD for Monthly Average.
 - o.010 MGD would be the Daily Maximum.
 - Example 2: 0.010 MGD (dry) plus 0.050 MGD (wet)
 - divided by 2 = 0.060/2 =
 - 0.030 MGD for Monthly Average
 - 0.050 MGD would be the Daily Maximum

Report Flow Correctly

- Report flow as million gallons per day (MGD), not gallons.
 - Example:
 10,000 gallons should be reported as 0.01 million gallons.
- Do not report "o" flow on the DMR: either it is a "No Discharge" DMR or there was a flow measurement.
- If the dry weather flow was zero: "0.000" should be listed on the MMR for the dry weather day.
- Note: not all dry weather flows should have "o" flow.

Report Non-detect Data correctly

- Report less than the Limit of Detection (i.e., "<0.005" mg/l) when reporting non-detect measurements.
- The lab work (or testing equipment instructions) should indicate what the Detection Limit is.
- Do not report "o" or "ND" or "BD" or "BDL".
- Be sure to use "<" symbol if "less than" is meant.
- Less than (<) can only be used on the DMR in combination with the <u>actual Detection limit</u>.
- Do not use "<" on the Excel version of the MMR.

Report Conditional (Exempt) Data Correctly

- Use "<u>Exempt</u>" or "<u>N/A</u>" ("not applicable") to report excused missing data, per parameter.
- This notation should only be used when reporting alternative sampling.
- Note: Exempt data that is truly exempt (as per the Rule) does not create missing data violations in the EPA database. Exempt data will be processed as compliant, as long as the reason for the missing data is clearly explained on the DMR.

Report Other Missing Data Correctly

- Use "*" if sampling did not occur (as it should have) for a parameter.
- Explain what the "*" means at the bottom of the DMR page.
- Based on the explanation, IDEM data stewards can give the missing data a process code that will at least make the data appear more complete in the EPA database, although it may still generate some kind of missing data violation.

Report No Discharge correctly

- Mark the <u>No Discharge Box</u> when submitting DMRs for outfalls that did not have a discharge for that monitoring period.
- Do not ask IDEM (Permit Writers or Data Stewards) to temporarily "delete", "inactivate", or otherwise terminate an outfall as an alternative to reporting no discharge.
- Inactivating an outfall in the EPA database is permanent for the remainder of that permit.

Part II. Permit Changes that require written notification to the Permit Section

IN ORDER TO HAVE CHANGES/CORRECTIONS OFFICIALLY MADE TO THE PERMIT AND REFLECTED IN THE EPA DATABASE.

Changes to Ownership, Facility Name, or Signatory Authority

- Submit these changes to the Permit Section as soon as possible.
- It may take 2-4 weeks for changes to be completed in EPA database.
- When a facility name is being changed, a copy of the approved company name (from the Indiana Secretary of State) may be included with the written notification along with its effective date.

Identify the Facility Location Clearly: Database Requirement (1)

- Federal and State databases require more complete locational information for facilities.
- When applying for permit renewals (or even new permits) each facility needs to supply:
 - a specific <u>street address or</u> the <u>nearest crossroads</u> to the facility, <u>and</u>
 - <u>latitude/longitude</u> ("lat-long") coordinates location.
 - A map with applicable permitted area outlined.

Identify the Facility Location Clearly: Database Requirement (2)

- The facility lat-long should indicate the center of the facility.
- Thus, each NPDES facility needs to be one contiguous site, not multiple noncontiguous mines.
- As the coal mine NPDES permits get reissued, if any permit provides coverage for more than one pit or for outfalls that are not located on the same contiguous property, the permit may need to be split so that each mine has its own NPDES permit (and its center is located on the property).

Changes to Outfall status

Activity status: Active, Inactive, New.

 Drainage status: Undetermined, Alkaline, Acid, Reclamation.

• Each of these outfall changes need to be sent to the Permit Writer as a notification, in order to have the change made in the EPA database and on the corresponding DMR.

If an outfall will never have a discharge again: Permanent Outfall Inactivation

- Notify DNR inspector so that he can confirm permanent closure of that discharge point.
- Notify IDEM Permit Writer immediately, clearly indicating which outfall is permanently closed and the <u>date of closure</u>.
- The Permit Writer will notify Data stewards so that they can remove DMR reporting requirements from EPA database for that outfall, to prevent false noncompliance (due to DMR non-submittals).

If a new outfall needs to be added to the permit:

- Notify IDEM Permit Writer immediately, clearly indicating the name, drainage status, <u>start date</u>, location, receiving stream, and lat-longs for the new outfall.
- The Permit Writer will notify the Data stewards, who will set up the new outfall and parameters in the EPA database such that new DMRs can be generated, and the EPA database can accept data for this new outfall beginning on the specific start date.
- Each outfall location must have a unique name, per permit and should be indentified on a map:
- 3 digit numeric names (i.e., 009, 027 etc.) are preferred.
- Each 3 digit name cannot be re-used at another outfall location, per permit.

Reporting Influent Iron and pH for "Undetermined" Outfall Drainage Status

- Influent Iron and pH for undetermined outfalls must be reported for the duration of the permit, unless, after 6 months of reporting, the permittee applies to the Permit Section to remove these parameters and receives written approval to do so.
- The Permit Writer will send a copy of the written approval to the Data stewards, who will make changes accordingly to the DMR and EPA database expectations.
- If this change is not requested or is not approved, the influent iron and pH need to continue to be reported to prevent missing data violations in the EPA database.

Reporting Aluminum, Copper, Zinc, and Nickel for Acid Outfall Drainage Status

- Total Aluminum, Total Copper, Total Zinc, and Total Nickel must be monitored and reported for the duration of the permit unless, at the end of 12 months of reporting, the permittee requests on an application, the removal of the reporting requirements for these metals and receives written approval from the IDEM Permit Section.
- If the permit modification is not received or is not approved, these metals must continue to be monitored and reported on the DMR to prevent missing data violations from accumulating in the EPA database.

Four coal mine outfall drainage types and how changes affect limits on the DMR form

- Notify IDEM Permits Section, using the application form, when an outfall is changing from undetermined to alkaline, acid to reclamation, etc., because this causes database expectation changes to the parameters, sampling frequency, etc.
- The following pages show how the outfall data should look, per drainage type.

Undetermined Mine drainage status, per outfall

PARAMETER	The transport	QUANTI	TY OR LOADING	;	QUA	LITY OR CONCI	ENTRATION		NO.	Frequency	Sample
	yangen labara i	Average	Maximum	Units	Minimum	Average	Maximum	Units	EX	of Analysis	Type
pH	SAMPLE MEASUREMENT	*****	****			* * * * * *		SU			
00400 0 0 0 Intake	PERMIT REQUIREMENT				Report DAILY MN		Report DAILY MX			Monthly	GRAB
pH	SAMPLE MEASUREMENT	*****	****			*****		SU			
00400 1 0 0 Effluent Gross	PERMIT REQUIREMENT				6 DAILY MN		9 DAILY MX			Twice Every Month	GRAB
Solids, total suspended	SAMPLE MEASUREMENT	*****	*****		****			mg/L			
00530 1 0 0 Effluent Gross	PERMIT REQUIREMENT	A COMMENSAGE OF STREET				35 DAILY AV	70 DAILY MX			Twice Every Month	GRAB
Solids, settleable	SAMPLE MEASUREMENT	*****	*****		*****			mL/L			
00545 1 0 0 Effluent Gross	PERMIT REQUIREMENT					Report DAILY AV	.5 DAILY MX			Twice Every Month	GRAB
Iron, total (as Fe)	SAMPLE MEASUREMENT	*****	*****		*****			mg/L			
01045 0 0 0 Intake	PERMIT REQUIREMENT					Report DAILY AV	Report DAILY MX	F		Monthly	GRAB
Iron, total (as Fe)	SAMPLE MEASUREMENT	*****	*****		*****			mg/L			
01045 1 0 0 Effluent Gross	PERMIT REQUIREMENT					3 DAILY AV	6 DAILY MX	0		Twice Every Month	GRAB
Flow, in conduit or thru treatment plant	SAMPLÉ MEASUREMENT			Mgal/d	*****	*****	*****				
50050 1 0 0 Effluent Gross	PERMIT REQUIREMENT	Report DAILY AV	Report DAILY MX				Encountry, one Aviation Colors of the Colors	1		Twice Every Month	INSTAN

TYPED OR PRINTED

NAME AND TITLE OF PRINCIPAL EXECUTIVE OFFICER OR

AUTHORIZED AGENT

SIGNATURE

COMMENTS AND EXPLANATION OF ANY VIOLATIONS

I certify, under penalty of law, that this document and all attachments were prepared under my direction or

evaluate the information submitted. Based on my inquiry of the persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment for knowing violations.

supervision in accordance with a system designed to assure that qualified personnel properly gather and

(Reference all attachments here)

DATE

DAY YEAR

TELEPHONE

AREA CODE AND NO.

Acid Mine drainage status, per outfall

PARAMETER		QUANTI	FY OR LOADING		QUA	ALITY OR CONC	ENTRATION		NO.	Frequency	Sample
		Average	Maximum	Units	Minimum	Average	Maximum	Units	EX	of Analysis	Type
Н	SAMPLE MEASUREMENT	*****	*****			*****		SU			
00400 1 0 0 Effluent Gross	PERMIT REQUIREMENT				6 DAILY MN		9 DAILY MX			Weekly	GRAB
Solids, total suspended	SAMPLE MÉASUREMENT	*****	*****		****			mg/L		2 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
00530 1 0 0 Effluent Gross	PERMIT REQUIREMENT					35 DAILY AV	70 DAILY MX			Weekly	GRAB
Solids, settleable	SAMPLE MEASUREMENT	*****	*****		*****			mL/L			
00545 1 0 0	PERMIT REQUIREMENT					Report DAILY AV	.5 DAILY MX	-		Weekly	GRAB
Copper, total (as Cu)	SAMPLE MEASUREMENT	*****	*****		*****			mg/L		98 (1 · 1 8 · 1 · 1 · 2 · 1 · 1	<u>Ergynotyfeld</u>
01042 1 0 0 Effluent Gross	PERMIT REQUIREMENT	AUTO 144'44				Report DAILY AV	Report DAILY MX			Monthly	GRAB
ron, total (as Fe)	SAMPLE MEASUREMENT	*****	*****		*****			mg/L			
01045 1 0 0 Effluent Gross	PERMIT REQUIREMENT					3 DAILY AV	6 DAILY MX			Weekly	GRAB
Manganese, total (as Mn)	SAMPLE MEASUREMENT	*****	****		*****			mg/L			<u> </u>
01055 1 0 0 Effluent Gross	PERMIT REQUIREMENT					2 DAILY AV	4 DAILY MX			Weekly	GRAB
lickel, total (as Ni)	SAMPLE MEASUREMENT	*****	*****		*****			mg/L		2,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	<u>: ' </u>
01067 1 0 0 ffluent Gross	PERMIT REQUIREMENT					Report DAILY AV	Report DAILY MX			Monthly	GRAB
Zinc, total (as Zn)	SAMPLE MEASUREMENT	*****	*****		****			mg/L			
01092 1 0 0 Effluent Gross	PERMIT REQUIREMENT					Report DAILY AV	Report DAILY MX			Monthly	GRAB
Aluminum, total (as Al)	SAMPLE MEASUREMENT PERMIT	*****	****		*****	Report	Report	mg/L		Monthly	GRAB
Effluent Gross Flow, in conduit or thru	REQUIREMENT SAMPLE			Mgal/d	*****	DAILY AV	DAILY MX				
treatment plant 50050 1 0 0	MEASUREMENT PERMIT	Report	Report]]		Weekly	INSTA
Effluent Gross	REQUIREMENT	DAILY AV	DAILY MX						L		

Alkaline Mine drainage status, per outfall

PARAMETER		QUANTI	TY OR LOADING	ì	QUA	LITY OR CONC	ENTRATION		NO.	Frequency	Sample
		Average	Maximum	Units	Minimum	Average	Maximum	Units	EX	of Analysis	Type
Н	SAMPLE MEASUREMENT	*****	*****			*****		SU			
00400 1 0 0 iffluent Gross	PERMIT REQUIREMENT				6 DAILY MN		9 DAILY MX			Twice Every Month	GRAB
solids, total suspended	SAMPLE MEASUREMENT	*****	*****		****	·		mg/L			
00530 1 0 0 Effluent Gross	PERMIT REQUIREMENT					35 DAILY AV	70 DAILY MX			Twice Every Month	GRAB
Solids, settleable	SAMPLE MEASUREMENT	*****	*****		*****	7 - For 1997 - 1998 - 1998	· ·	mL/L		and householder of a last	
00545 1 0 0 Effluent Gross	PERMIT REQUIREMENT			-		Report DAILY AV	.5 DAILY MX			Twice Every Month	GRAB
ron, total (as Fe)	SAMPLE MEASUREMENT	*****	*****		*****		1,111, 20,310, 300, 300, 500, 500	mg/L		a se a comprehensión se de se de de la comprehensión de la compreh	185651.41146.6
01045 1 0 0	PERMIT REQUIREMENT					3 DAILY AV	6 DAILY MX			Twice Every Month	GRAB
Ouration of discharge	SAMPLE MEASUREMENT	*****	*****		*****	*****		hr/mo			
50037 1 0 0 Effluent Gross	PERMIT REQUIREMENT					The state of the s	Report MO TOTAL		-	All Events	RCOTO
Flow, in conduit or thru reatment plant	SAMPLE MEASUREMENT			Mgal/d	*****	*****	****				
50050 1 0 0 Effluent Gross	PERMIT REQUIREMENT	Report DAILY AV	Report DAILY MX							Twice Every Month	INSTAN
recipitation volume	SAMPLE MEASUREMENT	*****	****		*****	*****	-	in/mo			
79777 1 0 0	PERMIT REQUIREMENT						Report MO TOTAL			All Events	RCOTO
ertify, under penalty of law, that this doc nervision in accordance with a system de- duate the information submitted. Based sons directly responsible for gathering it wiledge and belief, true, accurate, and or	signed to assure that qualified on my inquiry of the persons w ne information, the information	personnel property gathe the manage the system, of submitted is, to the best	r and r those of my	ME AND	FITLE OF PRINCIPA AUTHORIZE		FFICER OR	TELE	EPHO!	NE	DATE
owiedge and Bellet, itde, accurate, and co				men on	PRINTED	- SIGNA	ANT I'M W	AREA CO		NO. MO	DAY YE

ALK, COAL MINE WARRICK COUNTY

(Reference all attachments here)

EPA FORM 3320-1(03-09) Revised by Indiana (June 2007). (Replaces FPA FORM T-40 WHICH MAY NOT RE HSED. - Mail Forms To IDEM (No Photo Capitel)

COMMENTS AND EXPLANATION OF ANY VIOLATIONS

Reclamation Mine drainage status, per outfall

PARAMETER		QUANTI	TY OR LOADING	7	QUA	LITY OR CONC	ENTRATION		NO.	Frequency	Sample
		Average	Maximum	Units	Minimum	Average	Maximum	Units	EX	of Analysis	Type
pН	SAMPLE MEASUREMENT	*****	*****			*****		SU			
00400 1 0 0	PERMIT	1. 14		1 1	6		9 11301			Quarterly	GRAB
Effluent Gross	REQUIREMENT				DAILY MN		DAILY MX				
Solids, settleable	SAMPLE MEASUREMENT	*****	*****		*****			mL/L		edica.	
00545 1 0 0	PERMIT	1 1		1 .1		Report	5 5			Quarterly	GRAB
Effluent Gross	REQUIREMENT] [DAILY AV	DAILY MX	11			
Flow, in conduit or thru treatment plant	SAMPLE MEASUREMENT			Mgal/d	*****	*****	*****				Name of the last o
50050 1 0 0	PERMIT	Report	Report	i i		Charles of the contract of the				Quarterly	INSTAN
Effluent Gross	REQUIREMENT	DAILY AV	DAILY MX					1			MARCOCOL ROLLS

Alternative Parameters for Qualifying conditions

- Under specific precipitation conditions, the permittee may adjust reporting as follows:
- If precipitation <= 10 year, 24 hr storm event flow:
 - Report Flow, Settleable Solids, pH, Precipitation and Duration.
 - For all other parameters, report "Exempt".
- If preciptation > 10 year, 24 hr storm event flow:
 - Report Flow and pH, Precipitation and Duration.
 - For all other parameters, report "Exempt".
- Precipitation and Duration will be required on the DMR form. <u>Duration reporting units will be "days".</u>

eDMR Overview

- eDMR: electronic DMR (and MMR).
- The following is a brief overview of the new electronic Discharge Monitoring Report method for submitting NPDES data to IDEM.

eDMR Goals:

- To provide a means by which facilities can submit data directly to IDEM electronically;
 - Quicker no mail time, IDEM receives records in minutes.
 - Cheaper less paper, no mailing costs.
 - More accessable documents will be available on-line to any registered user from any internet capable computer.
 - More accurate calculations are performed by computer, correctly.

eDMR: For Whom?

- This system is primarily for the benefit of the NPDES permitted facility staff members: signatory authority, operator, and DMR completer.
- IDEM staff will also be able to view eDMR submittals via computer, and will eventually be able to send them directly to the EPA database.
- Note: this is not for the public!

Requirements:

- <u>Computer</u> no special software or hardware is required.
- <u>Internet</u> basic software and connection is needed.
- <u>Printer</u> ability to print out completed forms for records retention/inspections.

User Registration:

- The eDMR User will initially go to the IDEM web site to subscribe to eDMR, and will request access to electronic data entry (eDMR) forms for each facility he/she operates.
- Each user must complete an IESA (agreement) form for each facility and each role at those facilities. Each IESA form must be <u>printed</u> and <u>signed</u> and <u>mailed</u> to IDEM. (Include signatures of each eDMR user.)
- IDEM staff will perform telephone confirmation and then approve (disapprove) each person and role.
- The User will receive a confirmation email and guide.

IESA - Indiana Electronic Subscriber Agreement

IESA - Step 4					
	Download IESA				
Indiana Department of Environmental Manage	amant				
Subscriber Agreement	enient.				
State Form IDEM-R/08-01					
Instructions: Complete all sections of the form below and http://eAuth.idem.in.gov.	return it to the address listed. Additional information or ass	istance in completing this form can be found at			
Last Name: Smith	Middle Initial:	First Name: Susan			
Email Address: gmullin@idem.in.gov	'	,			
Company for which Access is Desired: SANITARY [DIST. OF MICHIGAN CTY				
Company Street Address: J.B. GIFFORD TREATMENT FACILTY 1100 EAST EIGHTH STREET					
Company City: MICHIGAN CITY	State: IN	ZIP Code: 46360			
Telephone Number:					
Desired Authorization Level(s):					
Data Entry Clerk					
Are you requesting signatory authority? No					
ls your signatory authority delegated from another	in your organization? : No				
If yes, enter the following information for the perso	on granting you authority:				
Name:					
Title:					
Telehpone Number:					

The Monthly eDMR Process...

- 1. (assuming facility users are registered for eDMR).
- 2. Log in to the eDMR web site.
- 3. Locate the appropriate data entry form for facility.
- 4. Fill in the sampling data values from the lab reports and on-site equipment measurements.
- 5. Have the Certified Operator and Signatory Official review the data and approve it.
- 6. Print paper copies of the forms (optional).
- 7. Submit the electronic documents to IDEM.

eDMR Data Entry Form

Facility: CHIMNEYWOOD SEWAGE WORKS INC

Permit Number: IN0050181

Outfall: 001A

Month July

Year 2007

Plant Design Flow 0

Telephone Number: (317)-233-2551

Facility's e-mail address (if available): gmullin@idem.in.gov

Certified Operator Name: Operator

Class: IV

Certificate Number: WW092345

Expiration Date: 6/30/2010

ShowCalculativeColumns

Refresh

Save&Continue

MRO Preview

Cancel

	General Information				Raw Wastewater												
Date,day	Man-Hours(hr)	Precipitation(in)	Bypass At Plant	Collection System Overflow	Influent Flow Rate(Mgal/d)	(ns)Hd	cBoD5(mg/L)	Susp.Solids(mg/L)	Ammonia(mg/L)	Phosphorus(mg/L)	30 Minute Setting(No Units)	MLSS(%)	Dissolved Oxygen(mg/L)	Temperature(deg F)	Waste Act. Sludge	Oxygen, dissolved (DO)(mg/L)	pH(SU)
7/1/07,Sun					0.008										0		
7/2/07,Mon	1				0.008										610		
7/3/07,Tue					0.007	7.9							3.8		0	8.3	7.1
7/4/07,Wed					0.007		66	338	30.0		350	3520			0		
7/5/07,Thu					0.009	8.1							3.8		610	8.7	7.8
7/6/07,Fri					0.007										0		
7/7/07,Sat					0.007										0		
7/8/07,Sun					0.007										0		
7/9/07,Mon					0.008										0		
7/10/07,Tue					0.006	7.7	56	180	41				4.0		0	8.1	7.8
7/11/07,Wed					0.007						375	3280			0		
7/12/07,Thu					0.006	7.9							3.8		610	8.6	7.6
7/13/07,Fri					0.006										0		

eDMR calculations

- The eDMR system will perform all of the major calculations for the user including, calculating the monthly average, the daily maximum value, quarterly average, and quarterly maximums, etc.
- The eDMR system then generates the appropriate State MMR form and the federal DMR form.
- Thus eDMR submittal includes the electronic submittal for both the DMR and MMR to IDEM.
- IDEM will review the eDMR and will transfer the submitted DMR data to the EPA database.

eDMR submittal: Secure

- Once a set of forms has been submitted to IDEM, the DMR and MMR are locked and uneditable, and are encrypted along with the electronic signatures of the certified operator and signatory official.
- IDEM staff do not see any records until the facility representative has submitted them.
- All submitted records are available for viewing by the facility and IDEM.
- Facilities can submit new "revised" copies to replace documents, if necessary.

eDMR Contact Information

Involvement in the eDMR project is by invitation only. If interested in participating, please contact:

Jeffrey A. Ewick, Section Chief
Office of Water Quality, Compliance Branch
Data and Information Services
317-233-0676
jewick@IDEM.IN.gov